

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20040183757"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 16:43
S2	2	"6066922".pn. "6794666".pn.	USPAT	OR	OFF	2005/08/08 16:43
S3	467	carbon adj fibers same display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/21 11:04
S4	0	carbon adj fibers and "6066922".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 14:19
S5	0	carbon adj fiber and "6066922".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/21 10:59
S6	0	carbon and fiber and "6066922".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/21 10:59
S7	0	S3 and (precharge or pre-charge or precharged or precharging or pre-charging or pre-charged).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/21 11:06
S8	558	(precharge or pre-charge or precharged or precharging or pre-charging or pre-charged) and (fed or field adj emission near3 display).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/21 14:01
S9	2	"6645028".pn. "5973444".pn.	USPAT	OR	OFF	2005/08/21 13:29

S10	65	((overdriven or over-driven or overdrive or over-drive) and (fed or field adj emission near3 display)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/21 14:03
S11	0	((overdriven or over-driven or overdrive or over-drive) and (fed with display or field adj emission near3 display)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/21 14:03
S12	65	(overdriven or over-driven or overdrive or over-drive) and (fed with display or field adj emission near3 display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/21 14:05
S13	5	(overdriven or over-driven or overdrive or over-drive) same (fed with display or field adj emission near3 display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/21 14:04
S14	24	(voltage with (higher or lower or greater) with (driving or drive) and field adj emission near3 display). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/21 14:37
S15	2	("5537007").URPN.	USPAT	OR	OFF	2005/08/21 14:11
S16	5	("4427266" "5404081" "5519414" "5537007" "5627556").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/21 14:13
S17	12	voltage with (higher or lower or greater) with (driving or drive) and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/21 14:19
S18	3	voltage with (higher or lower or smaller or greater) with cathode adj electrode with counter with (driving or drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/21 14:30
S19	5	voltage with (higher or lower or smaller or greater) with (driving or drive) same cathode adj electrode with counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/21 14:30

S20	61	voltage with level with (different or higher or lower or smaller or greater) with (driving or drive) and field adj emission near3 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/21 14:38
S24	70	"345"/\$.ccls. and I adj v adj characteristic	US-PGPUB; USPAT	OR	OFF	2005/08/22 11:08
S25	74	"345"/\$.ccls. and (I adj v or vI or Iv) adj characteristic	US-PGPUB; USPAT	OR	OFF	2005/08/22 11:09
S26	56	"345"/204-213,690-693,55-86. ccls. and (I adj v or vI or Iv) adj characteristic	US-PGPUB; USPAT	OR	OFF	2005/08/22 11:10
S27	1322	(apply or applying or applied) with maximum near5 voltage same (display or monitor or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:08
S28	500	(apply or applying or applied) with maximum near5 voltage with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:15
S29	93	(apply or applying or applied) with (drive or driving) near5 maximum near5 voltage with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:17
S30	99	(apply or applying or applied) with (drive or driving) near3 maximum near5 voltage same display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:23
S31	11	(apply or applying or applied) with (drive or driving) near3 maximum near5 voltage same display and (EL or electroluminescent or field adj emission or fe or electron-emitting) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:36
S32	10	("5066883" "5426447" "5654607" "5686936" "5708454").PN. OR ("6184851").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/03 09:39

S33	92	(apply or applying or applied) with (drive or driving) near3 voltage same (field adj emission or fe or electron-emitting) near5 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 13:50
S34	8	(apply or applying or applied) with (drive or driving) near3 voltage same (field adj emission or fe or electron-emitting) near5 display same maximum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:42
S35	7	("20030057850" "5591061" "5998924" "6144350" "6149480" "6184851" "6231412").PN. OR ("6712660").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 08:13
S36	15	(US-20020175618-\$ or US-20040004588-\$ or US-20040183757-\$ or US-20050116601-\$).did. or (US-5537007-\$ or US-5589738-\$ or US-5591061-\$ or US-5627556-\$ or US-5814946-\$ or US-6066922-\$ or US-6184851-\$ or US-6490433-\$ or US-6712660-\$ or US-6794666-\$ or US-6864863-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/10/07 19:51
S37	3	S36 and carbon adj fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/07 19:52
S38	3	carbon adj fibers same nanotube and 445/3,6.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 14:20
S39	9	(carbon adj fibers or carbon adj nanotube) and 445/3,6.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 14:26
S40	1	(carbon adj fibers or carbon adj nanotube) same (high or higher or maximum or peak) with voltage and 445/3,6.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 14:27